

032504  
18379  
U.S. PTO

Sughrue  
SUGHRUE MION, PLLC

2100 Pennsylvania Avenue, NW  
Washington, DC 20037-3213

T 202.293.7060  
F 202.293.7860

[www.sughrue.com](http://www.sughrue.com)

Brett S. Sylvester  
T (202) 663-7360  
[bsylvester@sughrue.com](mailto:bsylvester@sughrue.com)

March 25, 2004

22390 808451  
U.S. PTO

032504  
Barcode

**MAIL STOP PATENT APPLICATION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: New U.S. Patent Application No.: Not Yet Assigned  
Application of Koji KURUMA and Hiroko INOMATA  
A UNIT FOR BIOCHEMICAL ANALYSIS  
**Assignee: FUJI PHOTO FILM CO., LTD.**  
Our Ref. Q80496

Dear Sir:

Attached hereto is the application identified above comprising 48 sheets of the specification, including the claims and abstract. **Copies of the executed Declaration and Power of Attorney and Assignment will be submitted at a later date.**

The Government filing fee is calculated as follows:

Total claims	<u>17</u>	-	<u>20</u>	=	<u></u>	x	\$18.00	=	<u>\$0.00</u>
Independent claims	<u>5</u>	-	<u>3</u>	=	<u>2</u>	x	\$86.00	=	<u>\$172.00</u>
Base Fee									<u>\$770.00</u>

**TOTAL FEE** **\$942.00**

A check for the statutory filing fee of \$942.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.

Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
Japan	2003-090369	March 28, 2003



**Sughrue**

SUGHRUE MION, PLLC


New U.S. Patent Application No.: Not Yet Assigned  
Docket No. Q80496  
Page 2

**The priority document is submitted herewith.**

Respectfully submitted,  
SUGHRUE MION, PLLC

Attorneys for Applicant

By:

  
Brett S. Sylvester  
Registration No. 32,765

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE

**23373**

CUSTOMER NUMBER